

illumos packaging - Feature #59

summain uses llistxattr

2012-10-13 11:50 AM - Igor Pashev

Status: Closed	Start date: 2012-10-13
Priority: Normal	Due date:
Assignee:	% Done: 0%
Category:	Estimated time: 0.00 hour
Target version:	
Description	
Summain generates file manifests, which contain metadata about the files, and a checksum of their content for regular files. The manifest can be generated for a directory tree at different points in time and compared (with diff) to see if something has changed. [1]	
It calls llistxattr(). This function is a part of Glibc (since 2.3), and absent in illumos. But libattr provides llistxattr().	
[1] http://packages.debian.org/sid/summain	

History

#1 - 2012-10-13 02:07 PM - Igor Pashev

- Status changed from New to Resolved

Author is informed.

Index: summain-0.14/setup.py

```
-----
--- summain-0.14.orig/setup.py  2012-06-30 21:08:29.000000000 +0400
+++ summain-0.14/setup.py      2012-10-13 21:15:52.465727433 +0400
@@ -25,7 +25,10 @@
     url='http://liw.fi/summain/',
     py_modules=['summainlib'],
     scripts=['summain'],
-    ext_modules=[Extension('_summain', sources=['_summainmodule.c'])],
+    ext_modules=[Extension('_summain',
+        sources=['_summainmodule.c'],
+        libraries=['attr'],
+    )],
     data_files=[
         ('share/man/man1', ['summain.1']),
     ],
```

#2 - 2017-05-17 09:59 PM - Igor Pashev

- Status changed from Resolved to Closed